

210 mm

150 mm

GAVIDarm Häufiger Durchfall

WIRKUNGSWEISE

Die Darmschutz-Technologie auf Basis von Xyloglucan aus Tamarindensamen bildet in Kombination mit Erbsenprotein eine Schutzbarriere an den Darmwänden. Diese Formulierung wurde mit Xylo-Oligosacchariden kombiniert und trägt zusätzlich dadurch zur Verringerung von Durchfällen bei. Die Wirksamkeit dieses Produktes bei Durchfall wurde in klinischen Studien nachgewiesen.

- Behandelt wirksam wiederkehrenden Durchfall für eine langfristige Linderung
- Hilft bei der Vorbeugung wiederkehrender Reizdarmsymptome wie Durchfall, Blähungen und Bauchschmerzen
- Bildet einen Schutzfilm, der die Darmschleimhaut beruhigt, stärkt und ihre Regenerierung fördert

ANWENDUNGSGEBIET

GAVIDarm Häufiger Durchfall ist ein Medizinprodukt, das die Darmfunktion bei Patienten stabilisiert, die aufgrund des Reizdarmsyndroms unter Durchfall leiden. Es kann auch bei Durchfall aufgrund anderer Faktoren, die zu einer gestörten Darmbarriere führen, angewendet werden.

DOSIERUNG

Erwachsene ab 18 Jahren: 1-2 Kapseln, je nach Schwere der Symptome, zweimal täglich (morgens vor dem Frühstück und abends vor dem Abendessen). Um die bestmögliche Wirkung zu erzielen, sollten Sie die Behandlung 2 Wochen lang durchführen und bei Bedarf unter ärztlicher Aufsicht fortsetzen. Im Falle einer Überdosierung wenden Sie sich bitte umgehend an eine Ärztin, einen Arzt oder an eine Apotheke.

ANWENDUNGSHINWEIS

Nehmen Sie die Kapseln mit Flüssigkeit ein.

Eine Kapsel enthält:

Inhaltsstoffe: 210,6 mg Xylo-Oligosaccharide, 175 mg Erbsenprotein, 100 mg Tamarindensamen-Polysaccharid (Xyloglucan), 75 mg Traubenkernextrakt.

Sonstige Stoffe: Magnesiumstearat (pflanzlichen Ursprungs), Siliciumdioxid.

Kapselhülle: Hypromellose, Titandioxid.

WARNHINWEISE

- Es ist nicht notwendig, vor der Anwendung des Produkts eine Ärztin oder einen Arzt zu konsultieren. Ein Arztbesuch ist anzuraten bei schweren oder anhaltenden Symptomen oder wenn Zweifel an der Diagnose bestehen, vor allem bei älteren Menschen. Wenn Sie sich im Hinblick auf die Diagnose nicht sicher sind oder schwere Symptome auftreten, suchen Sie unbedingt sofort eine Ärztin oder einen Arzt auf.
- Fragen Sie Ihre Ärztin, Ihren Arzt oder in Ihrer Apotheke, wenn Sie gleichzeitig mit diesem Medizinprodukt Arzneimittel einnehmen.
- Es wird empfohlen, das Produkt nicht während der Schwangerschaft oder der Stillzeit zu verwenden. Konsultieren Sie in diesem Fall vor der Einnahme Ihre Ärztin oder Ihren Arzt.
- Verwenden Sie das Produkt nicht nach dem auf der Packung aufgedruckten Verfallsdatum.
- Verwenden Sie das Produkt nicht, wenn der Blister geöffnet oder beschädigt ist.
- Nicht bei Temperaturen über 25 °C lagern. Nicht in den Gefrierschrank legen.

210 mm

150 mm

- Außerhalb der Reichweite von Kindern aufbewahren.
- Unerwünschte Nebenwirkungen sollten umgehend einer Ärztin, einem Arzt, einer Apotheke oder an Reckitt Benckiser Deutschland GmbH, Darwinstrasse 2-4, 69115 Heidelberg gemeldet werden. Schwerwiegende Vorfälle müssen Reckitt und der zuständigen Behörde vor Ort gemeldet werden, die Sie über das weitere Vorgehen informieren wird.

ANWENDUNGSBESCHRÄNKUNG

Nehmen Sie dieses Medizinprodukt nicht ein bei bekannter Überempfindlichkeit gegen seine Bestandteile, bei Darmperforation und/oder Magen-Darm-Verschluss. Dieses Medizinprodukt ist nicht für Kinder unter 18 Jahren geeignet.

WECHSELWIRKUNGEN

Wenngleich keine Wechselwirkungen mit Arzneimitteln bekannt sind, ist es ratsam, eine Ärztin, einen Arzt oder eine Apotheke zu konsultieren, bevor Sie das Produkt zusammen mit Arzneimitteln einnehmen.

NEBENWIRKUNGEN

Unabhängig von der individuellen Verträglichkeit wurde die Behandlung mit diesem Produkt als gut verträglich eingestuft. Es sind keine Nebenwirkungen bekannt. Die Zusammenfassung der Sicherheit und der klinischen Ergebnisse (SSCP) ist in EUDAMED verfügbar (<https://ec.europa.eu/tools/eudamed>). Sie können darauf zugreifen, indem Sie die BASIC UDI-DI eingeben: 7649993626FT42301VC

HALTBARKEIT UND LAGERUNG

Die Haltbarkeit beträgt 36 Monate und das Verfallsdatum ist auf der Packung und auf dem Blister angegeben. Die Angaben auf dem Blister beziehen sich auf das Produkt in der unangebrochenen Verpackung bei korrekter Lagerung. Verwenden Sie das Produkt nicht nach dem Verfallsdatum oder wenn die Verpackung geöffnet oder beschädigt ist. Bewahren Sie das Medizinprodukt dicht verschlossen an einem kühlen und trockenen Ort (unter 25 °C) auf. Das Produkt darf weder Hitzequellen noch Sonneneinstrahlung ausgesetzt werden.

PACKUNGSGRÖSSE

Das Medizinprodukt ist für Erwachsene bestimmt und in Blisterpackungen mit 8 Kapseln, 15 Kapseln, 30 Kapseln oder 60 Kapseln erhältlich. Es werden möglicherweise nicht alle Packungsgrößen in den Verkehr gebracht.

ENTSORGUNG

Das abgelaufene oder zu entsorgende Produkt kann über den Hausmüll entsorgt werden.



DEVINTEC SAGL
Corso Elvezia 14
6900 Lugano – Schweiz



Import durch: Reckitt Benckiser Deutschland GmbH,
Darwinstrasse 2-4, 69115 Heidelberg
GAVIDarm ist eine Marke der
Reckitt-Unternehmensgruppe

EC

REP

Devintec Health S.L.
Calle General Pardiñas 99
28006 Madrid (Spanien)

REF

C05B02E008DE
C05B02E030DE

CE 1370



3315876



25°C



3315876

500000004186-00

CUSTOMER INFO

Minimum Point Size =6.58pt

RB Artwork and Print Specification

Trident Reference No:	RB625316
ZEN Ref:	TR3308129
Brand/Work Ref:	RBL2407030
Action:	L
Brand:	Gaviscon
Category:	Adult
Segment Group:	GaviDigest
Segment:	Diarrhea
Pack Size:	30x6 Pack
Market/Country:	Germany
Date:	13/03/2025

RBH Contact: Linda Radtke

Artwork Type: BW Commercial

Component Code (2D if applicable):	3315876
2 nd Component Code (if applicable):	N/A
Parent Technical Packaging Specification:	D8397248
Finished Goods Code:	3307441, 3315730
Supply Point:	Biofarma
3rd Party Code:	500000004186-00
Pharmacode No/NE:	N/A
Edgemark Position:	N/A

CAD Cam Ref:	Lfr-D8397248 150x210mm
Printer:	GRAFICA ANTONINI SRL
Substrate:	Paper

Technical & Non Printing Items	
Dieline	Dieline 2 (if applicable)
Guides	Guides 2 (if applicable)

Colours	
Black	T
UIC	UIC



Connaught House, Connaught Road,
Kingwood Business Park, Hull, HU7 3AP, England.
T: +44 (0) 01482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Subramanian MarudhuPandyan v2.0

Production line(s)			
Manufacturing site			
Pack Tech approver	1st	2nd	
Date			
Check Criteria	Details & Comments	Checks	
Approvals		1st	2nd
3rd Party Approval	☐ N/A	☐ Pass	☐ Pass
Technical Drawing/Cutter ref no./Legend box			
Component item code correct on artwork	☐ N/A	☐ Pass	☐ Pass
Correct D-spec and drawing for the production line	☐ N/A	☐ Pass	☐ Pass
Profile shape & dimensions	☐ N/A	☐ Pass	☐ Pass
Graphics layout/orientation	☐ N/A	☐ Pass	☐ Pass
Unwind diagram (PPTD1022/1-20)	☐ N/A	☐ Pass	☐ Pass
Printable areas/bleed	☐ N/A	☐ Pass	☐ Pass
Varnish free areas	☐ N/A	☐ Pass	☐ Pass
Variable coding position & dimensions			
Varnish and print requirements	☐ N/A	☐ Pass	☐ Pass
Pre-printed headers (alignment and suitability)	☐ N/A	☐ Pass	☐ Pass
Embossing and foil blocking	☐ N/A	☐ Pass	☐ Pass
Separations on artwork (Braille/Varnish/etc.)	☐ N/A	☐ Pass	☐ Pass
Alignment within cutter	☐ N/A	☐ Pass	☐ Pass
Braille structure (position/start cell/end cell)	☐ N/A	☐ Pass	☐ Pass
Verification Code Type: Pharma Code / 2D / OLV			
Bar sequence and/or number correct and in correct position	☐ N/A	☐ Pass	☐ Pass
2D barcode decode contains correct item code	☐ N/A	☐ Pass	☐ Pass
Size (height, width, spacing, font)	☐ N/A	☐ Pass	☐ Pass
Direction of read	☐ N/A	☐ Pass	☐ Pass
Light margins and print free areas	☐ N/A	☐ Pass	☐ Pass
Colour	☐ N/A	☐ Pass	☐ Pass
Repeat distance (reeled material)	☐ N/A	☐ Pass	☐ Pass
Cross check related docs ie CPBOM	☐ N/A	☐ Pass	☐ Pass
Bar code Type: EAN, ITF, Code39, etc			
Magnification / width and height	☐ N/A	☐ Pass	☐ Pass
Colour (e.g. black print on white background)	☐ N/A	☐ Pass	☐ Pass
Light margins & indicators	☐ N/A	☐ Pass	☐ Pass
Bearer bars & H gauges (if required)	☐ N/A	☐ Pass	☐ Pass
Bar code number (human readable)	☐ N/A	☐ Pass	☐ Pass
Bar code number (encoded & hidden data)	☐ N/A	☐ Pass	☐ Pass
Confirm bar code number from source	☐ N/A	☐ Pass	☐ Pass
Photo-electric cell mark / edge marks			
Present & per Tech drawing	☐ N/A	☐ Pass	☐ Pass
Correct pitch	☐ N/A	☐ Pass	☐ Pass
Additional markings			
e-mark, recycle logo etc	☐ N/A	☐ Pass	☐ Pass
Additional information			
Correct printer	☐ N/A	☐ Pass	☐ Pass
Correct Substrate	☐ N/A	☐ Pass	☐ Pass
Edge mark details	☐ N/A	☐ Pass	☐ Pass
Laser coding area colours and print process	☐ N/A	☐ Pass	☐ Pass
Varnish	☐ N/A	☐ Pass	☐ Pass
General details are correct	☐ N/A	☐ Pass	☐ Pass
Pass / Fail comments and Signature		☐ Pass	☐ Fail
By approving the artwork referenced within this form I authorise it for release to the print supplier			
Additional Comments			

RB Artwork and Print Specification		
Trident Reference No: RB625316 ZEN Ref: TR3308129 BrandWork Ref: RBL2407030 Action: L Brand: Gaviscon Category: Adult Segment Group: GaviDigest Segment: Diarrhea Pack Size: 30x6 Pack Market/Country: Germany Date: 13/03/2025		
RBH Contact: Linda Radtke		
Artwork Type: BW Commercial Component Code (2D if applicable): 3315876 2nd Component Code (if applicable): N/A Parent Technical Packaging Specification: D8397248 Finished Goods Code: 3307441, 3315730 Supply Point: Biofarma 3rd Party Code: 500000004186-00 Pharmacode No/NE: N/A Edgemark Position: N/A		
CAD Cam Ref: Lfr-D8397248 150x210mm Printer: GRAFICA ANTONINI SRL Substrate: Paper		
Technical & Non Printing Items Dieline Guides Dieline 2 (if applicable) Guides 2 (if applicable)		
Colours Black T Utr		
reckitt		
TRIDENT Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 01482 828100		
Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.		
UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.		
STUDIO USE ONLY Subramanian MarudhuPandiyan v2.0		

